


www.sokswitch.com
S80 Flexico


SOK | Beyond
Safety.



Stylish **everywhere**



(Switch breakdown diagram)



The light switch is the visible element that forms a link between the electrical installation and the relevant space.

As such, it has to satisfy both aesthetic and functional standards. The obvious quality of the surface conceals the many mechanical parts inside the switch.

The valid standard requires 40,000 acts of switching during testing, itself demands that its switches be activated 50,000 times.

RELIABLE--REASSURING PARTNER OF SAFETY

Felxico contains devices able to guarantee personal safety, prevent damage to home appliances and maintain the integrity of your home, turely makes you relieved during the daily use.



➔ Components

DIY culture is popular in European market, which determines that the more flexibility the products offer, the more welcomed by the market. Before arrange your plan of SKU management, please do understand which parts of the item unit are detachable and which parts are not.

SOK

SOK

PROFESSIONAL--INTEGRATION OF TRADITION AND INNOVATION

Based on reasonable concept and durable design with over 30 years experience, Felxico is integrated with a range of innovative functions meanwhile that allow you to guarantee well-being and comfort of life.




FAST INSTALLATION

Socket-outlet with Screwless and Screw Terminals for option to meet any wiring preference

Screwless Type

-Snap wiring and easy to release from front




Claws

Ready for installation

Screw slots

Easy alignment with the mounting box

- Universal frame for both vertical and horizontal direction



Easy inventory management


- Complete range




Meet all your functional need

INSTALLATION PROCEDURE

- Fix the device into the box.
- Clip the screwless cover plate into the mechanism (screwdriver not needed)
- Complete the work by clipping the plate. The screwless cover plate guides you in this process




Innovative docking system



Visual quality of the final seal.
perfect alignment of all the products.

Thanks to an innove docking system, the support frames can be perfectly and easily joined for installation.

The new system guarantees the stability and solidity of the devices during assembly: installation of the plastic cover of the mechanism and the cover plate.



Perfect for installations in both horiz ontal and vertical orientation.



Golden Plate + Black Module

Colors Appealed to the Times

The colors on offer give elegance and aesthetics to your home, match the style and furniture of every habitat. In terms of color tones and textured/glossy finishing, Flexico provides exactly the type of plates that best suits your taste.



Optional Colors and Materials

Metal

03-Aluminium	
42-Titan	
41-Stainless Steel	
05-Black	
43-Rose	
14-Antique Brass	
04-Champagne (hairline)	
44-Champagne (gritty)	

Wood

08-Cherry	
07-Oak Q	
11-White Oak	
09-Royal Oak	
12-Red Cherry	
13-Wenger	
05-Fantasy	
10-Angkanh	

Glass

00-Transparent	
01-White	
03-Aluminium	
34-Light Silver	
06-Black	
02-Ivory	
04-Champagne	
13-Dark Coffee	
24-Wine Red	
31-Mokko	
32-Gray	
23-Red	

Plastic

Injection Color

01-White	
18-Gray	
06-Black	
02-Ivory	
16-Cream	
17-Chocolate	

Coated Color

15-Pearl White	
04-Champagne	
13-Dark Coffee	
03-Aluminium	
12-Gray	
05-Anthracite	
23-Red	
14-Cuprum Orange	
25-Wine Red	
22-Orange	
24-Jacinth	
21-Yellow	
26-Fluorescent Green	
27-Green	
28-Azure	
29-Cobalt	

Hydrographics

11-Pine Wood	
07-Yellow Wood	
09-Teak	
08-Red Wood	
10-Black Wood	

Plastic

01-White	
03-Aluminium	
05-Anthracite	
02-Ivory	
04-Champagne	

22-Orange	
21-Yellow	
26-Lime	
27-Green	
33-Sky Blue	
28-Azure	
29-Dark Blue	
30-Pink	
35-Rose Red	

STANDARD SWITCH 250V~10AX

● Screwless ○ Screw

1 Way Switch	2 Way Switch	Intermediate Switch
 ● S81/L1/1 ● S81/L1/2	 ● S81/L1/1/D ● S81/L1/2/D Indicator Mode: On-Off	 ● S81/L4 Intermediate Switch
 ● S81/L2/1 ● S81/L2/2	 ● S81/L2/1/D ● S81/L2/2/D Indicator Mode: On-Off	
 ○ S81/L3/1		

PUSH BUTTON SWITCH 250V~10A

Available Symbol :  

● Screwless ○ Screw

 ● S81/L1/L1 ● S81/L1/L2	 ● S81/L1/L1/D ● S81/L1/L2/D Indicator Mode: On-Off
 ● S81/L2/L1 ● S81/L2/L2	 ● S81/L2/L1/D ● S81/L2/L2/D Indicator Mode: On-Off
 ● S81/L1/L1/C	 ● S81/L1/L1/B Indicator Mode: On-Off


OTHER SWITCH 250V~

● Screwless ○ Screw

Exhaust Fan Switch 10AX	Blind Switch 10A
 ● S81/L1/EX Exhaust Fan Switch	 ● S81/CT/A ● S81/CT/B
Switch with N terminal 10AX	
 ● S81/L1/1N 1 Way Switch with N terminal ● S81/L1/2N 2 Way Switch with N terminal	 ● S81/L1/1N/D ● S81/L1/2N/D Indicator Mode: On-On / Always On
Double Pole Switch 10A/20A	
 ● S81/L1/1/10DP ● S81/L1/2/10DP ○ S81/L1/1/20DP	 ● S81/L1/1/10DP/D 10A Double Pole 1 Way Switch with LED indicator ● S81/L1/2/10DP/D 10A Double Pole 2 Way Switch with LED indicator ○ S81/L1/1/20DP/D 20A Double Pole 1 Way Switch with LED indicator Indicator Mode: On-Off
Triple Pole Switch 16A	
 ○ S81/L1/16TP	

German Socket 16A 250V~

● Screwless ○ Screw

Schuko Socket	
 ● S81/16U Single Schuko Socket ○ S81/16U/Y Single Schuko Socket	 ● S81/16UW Single Schuko Socket with Lid ○ S81/16UW/Y Single Schuko Socket with Lid
 ● S81/16U/USB/2 Schuko Socket with Double USB (5V 3.1A) ○ S81/16U/Y/USB/2 Schuko Socket with Double USB (5V 3.1A)	

European Socket 16A 250V~

● Screwless ○ Screw

French Socke	
 ● S81/16U/FR ○ S81/16U/FR/Y	 ● S81/16A Single 2-Pin Socket

● Screwless ○ Screw

Dimmer			
 ○ S81/TG/200 ● S81/TG/200/L2 ○ S81/TG/300 ● S81/TG/300/L2	1-10V Dimmer In- 250V~ 10A Out- 1-10V 40mA Trailing Edge Dimmer 250V~ Max. 200W Trailing Edge Dimmer 250V~ Max. 300W	○ S81/TG/400 ● S81/TG/400/L2 ○ S81/TG/800 ● S81/TG/800/L2	Triac Dimmer 250V~ Max. 400W Trailing Edge Dimmer 250V~ Max. 800W
Key Card Switch		USB Charger	
 S81/KFP	Optoelectronics Key Card Switch 220-250V~ 30A	 S81/USB/2	Double USB Charger In-250V~0.3A Out-5V DC 2.1A
Buzzer		Motion Sensor	
 S81/BZ	Mechanical Buzzer 220V~ 0.058A	 - S81/HS/2 - S81/HS/3	180-250V~ 200W 5-7Meters 3-7Lux 180-250V~ 400W 5-7Meters 3-7Lux
Thermostat			
 S81/TW	Thermostat 250V~16A 5°C~90°C		

Telephone Socket RJ11	LAN Socket Rj45	Combination Socket RJ11+RJ45+(TV)
 CAT3 UTP Single S81/TEL/1	 CAT5E/CAT6/CAT6A UTP/STP Single S81/LAN/1	 CAT3+CAT5E/CAT6/CAT6A UTP/STP S81/TEL/LAN
 CAT3 UTP Double S81/TEL/2	 CAT5E/CAT6/CAT6A UTP/STP Double S81/LAN/2	 TV+CAT3 S81/TV+TEL TV+CAT5E/CAT6/CAT6A UTP/STP S81/TV+LAN

Media Socket		
 TV Socket With Surge Protection S81/TV/SP	 Single Audio Socket S81/AUD/1	 RCA Socket S81/RCA
 TV-R Socket With Surge Protection S81/TV+FM/SP	 Double Audio Socket S81/AUD/2	 HDMI Socket S81/HDMI
 TV-R-SAT Socket With Surge Protection S81/TV+FM+SAT/SP		

 Blank Plate S81/BP	 Cable Outlet S81/16O	 Decorative Ring S81/DF
 LED Indicator S81/LED	 Mounting Claw S81/HG	 Waterproof Cover (Silicon) S80/SC

Classic		Dimension (mm)	Plastic	Glass	Metal	Wood
		92 x 92 x 11.4	S81/A/CP/1	S81/A/CP/G1	S81/A/CP/M1	S81/A/CP/W1
		163 x 92 x 11.4	S81/A/CP/2	S81/A/CP/G2	S81/A/CP/M2	S81/A/CP/W2
		234 x 92 x 11.4	S81/A/CP/3	S81/A/CP/G3	S81/A/CP/M3	S81/A/CP/W3
		305 x 92 x 11.4	S81/A/CP/4	S81/A/CP/G4	S81/A/CP/M4	S81/A/CP/W4
Artistic		Dimension (mm)	Plastic			
		92 x 92 x 11.4	S81/A/CH/1			
		163 x 92 x 11.4	S81/A/CH/2			
		234 x 92 x 11.4	S81/A/CH/3			
		305 x 92 x 11.4	S81/A/CH/4			
		376 x 92 x 11.4	S81/A/CH/5			

GUANGDONG JINLI ELECTRICAL APPLIANCE CO., LTD.

ADD:
No.36 Yanjiang South Road,
Dawan, Leliu, Shunde, Foshan,
Guangdong, China, 528322

TEL:
86-757-25333127
FAX:
86-757-25333206

E-MAIL:
export01@jinli.com
URL:
www.jinli.com
www.sokswitch.com

